



**Bakson Homoeopathic Medical
College & Hospital**
बैक्सन होम्योपैथिक मैडिकल
कॉलेज एवं हॉस्पिटल

Affiliated to Dr. B.R. Ambedkar University, Agra (U.P.)
Recognised by C.C.H., Govt. of India. NABH ACCREDITED



- *Situated at Lush Green Institutional area of Greater Noida*
- *Courses offered - B.H.M.S. & M.D.*
- *Well furnished, spacious & Air conditioned Class rooms*
- *Experienced Faculty*
- *Lecture theatres with audio-visual aids*
- *State-of-the-art laboratories*
- *Rich & resourceful Library*
- *Well maintained in house & peripheral OPDs and Hospital*
- *Only institute providing placement facility*
- *Girls & Boys Hostels within the campus available*

College Campus : Plot No. 36 B, Knowledge Park, Phase-I,
Greater Noida. (U.P.) - 201306 **Ph. :** 0120 - 2321369/70
Fax : 2321375. **E-mail :** college@bakson.net

Dr. Bakshi's
BAKSON'S
HOMOEOPATHY

B 1-71

**DROPS &
TABLETS**



Trusted formulations for
all your ailments !



www.buybakson.com

THE MAN BEHIND BAKSON



Dr. S.P.S. Bakshi

- > Former President, Homoeopathic Medical Association of India
- > Former President, Central Council of Homoeopathy, Govt. of India.
- > Chairman, Bakson's Homoeopathy Clinics.
- > Over 49 years of experience.
- > Over 1.5 million smiling patients.
- > CMD, Bakson Drugs & Pharmaceuticals Pvt. Ltd.
- > Founder Chairman, Bakson Homoeopathic Medical College.
- > Honored with over 125 Awards/Felicitations.

Dr. Satinder Pal Singh Bakshi, an alumnus of Nehru Homoeopathic Medical College, New Delhi, is known for his dedication and zeal to spread Homoeopathy as a powerful alternative, effective and viable system of medicine for our country. His professional standing was well recognized and he swiftly rose to become the President of Central Council of Homoeopathy at the age of 39.

Homoeopathic education in India has seen phenomenal change and a manifold increase under his guidance. He was instrumental in rationalisation of the homoeopathic education in India and in introducing the concepts of quality and accountability in homoeopathic practice by initiating amendments to the Homoeopathic Practitioners (Professional Etiquette's, Conduct and Code of Ethics) Regulations.

Dr. S.P.S. Bakshi is the Founder Chairman of Bakson Drugs & Pharmaceuticals Pvt. Ltd., a leading homoeopathic drug manufacturing and marketing company. Dr. Bakshi also has to his credit the establishment of a nationwide chain of Bakson's Homoeopathy Clinics known for treating allergic disorders. He has treated more than a million patients over his 49 years of long professional career.

Besides, Dr. S.P.S. Bakshi has even established Bakson Homoeopathic Medical College, a renowned institute with a sprawling campus in lush green environs of Knowledge Park Greater Noida. It confers degrees to budding doctors in the field of Homoeopathy at graduate and postgraduate level.

Contents

Benefits of Homoeopathy	1
Power of Homoeopathy	2
Research at Bakson	2
Myths about Homoeopathy	3
Dr. Bakshi's B Drops & Tablets for Miscellaneous Complaints	5
Dr. Bakshi's B Drops & Tablets for Musculoskeletal Complaints	13
Dr. Bakshi's B Drops & Tablets for Respiratory Complaints	18
Dr. Bakshi's B Drops & Tablets for Skin Complaints	24
Dr. Bakshi's B Drops & Tablets for Urinary Complaints	29
Dr. Bakshi's B Drops & Tablets for Digestive Complaints	33
Dr. Bakshi's B Drops & Tablets for Endocrine (Hormonal) Complaints	39
Dr. Bakshi's B Drops & Tablets for Neurological Complaints	42
Dr. Bakshi's B Drops & Tablets for Cardiovascular Complaints	49
Dr. Bakshi's B Drops & Tablets for Male Sexual Complaints	55
Dr. Bakshi's B Drops & Tablets for Female Sexual Complaints	57

HOMOEOPATHY

A futuristic Science!

HOMOEOPATHY - The Sympathetic way of Healing

Homoeopathy (derived from the Greek word homoios meaning similar and pathos meaning suffering) is a healing art. It is a magnificent system of medicine which works on certain basic principles as laid down by its founder Dr. Christian Friedrich Samuel Hahnemann. Homoeopathy as a science has undergone some very revolutionary changes since the time of its inception, more than 200 years ago in Germany. It has now spread to almost every country of the world. Today it is not only one of the most widely accepted but the safest and gentle modes of treatment for restoring the sick to health.

BENEFITS OF HOMOEOPATHY

Through Homoeopathy one can gradually and permanently overcome chronic or life-long physical, psychological ailments as well as obstacles that have not yielded to any other therapeutic approach. Thus, Homoeopathy is far more than an adjunct or substitute for medical intervention.

Homoeopathy seeks to stimulate the body's ability to heal itself by giving very small doses of highly potentised substances. The correct homoeopathic medicine encourages the innate healing tendency of the body very gently.

Homoeopathy is always more effective, where the common practice is powerless. The medicaments, if skillfully administered, cure the greater portion of the ills to which mankind is exposed.

Moreover no time is lost with Homoeopathy; it is possible to apply a homoeopathic prescription the moment symptoms of illness are apparent,



we are able to match such symptoms with what is the known effect of some drug on the prover. All homoeopathic remedies are proved on healthy human beings to know the complete drug picture and their pathogenecity.

DRUG SOURCES

Homoeopathic remedies are perfectly safe to take. Any substance might be used homoeopathically but most of these remedies are made from natural substances obtained from vegetable, animal and mineral sources amongst others. There are over 3000 homoeopathic remedies. Furthermore, new are being added every day to cope with the problems arising as a result of modernization.

POWER OF HOMOEOPATHY

Homoeopathy has to its credit specific mode of preparation of drugs substances and their subsequent potentisation to increase the curative power while decreasing the crude drug substance. This removes the chance of side effects and the patient is cured with minimal dose sufficient enough to stimulate the life principle so that it can repel the disease force and bring about health.

RESEARCH AT BAKSON

Working on these basic principles of Homoeopathy and with the invaluable experience of treating lacs of people down the years Bakson has contributed immensely to the world of Homoeopathy. We have researched deeply on the aspects of this healing system, observed carefully the action of homoeopathic medicines on our patients and followed them for years together so as to not just remove the suffering but decrease the susceptibility and increase the resistance of body for building stronger generations.

Homoeopathy is safe, does not have side effects, is non-addictive, treats holistically and is relatively inexpensive.

Many cures and therapeutic modalities come and go without a mark but Homoeopathy has stood the test of time and this makes it hard to ignore. Even in conventional medicine, most treatments and drug therapies become out of date and are replaced within a few years. Whereas

Homoeopathy has grown and has been refined, but the principles and the research that led to it are as important and valuable today as they were at the time of its inception. This testifies the strength of this science with an unmatched effectivity of curing a range of diseases.

MYTHS ABOUT HOMOEOPATHY

Myth - Homoeopathy is a "Slow Acting System"

The action of medicine depends on whether the disease is acute or chronic. Acute diseases are of recent origin, e.g. cold, fever, headache that develop very quickly & if the correctly selected medicine is given to the patient, it produces very quick results. The chronic diseases are those which have a long history, e.g. Bronchitis, Asthma, Eczema, Arthritis etc. These occur as a result of continuous suppression by other systems of medicine. These types of chronic diseases will definitely require some time to be cured. Thus it is the complexity, duration and suppression of the disease which makes it time consuming to cure rather than the mode of healing that is Homoeopathy.

Myth - Allopathic or other treatment cannot be taken with homoeopathic medicine

If a person is on long continued allopathic treatment, especially steroids or "life-saving drugs", discontinuing the medicine abruptly might cause sudden increase in the intensity of his symptoms. So the best way is to reduce the dosage of the allopathic medicine gradually as the improvement starts & then stop them.

Myth - Onion, garlic, tea, coffee etc. are restricted with homoeopathic medicine

Researches have shown that there is no effect of such things on the efficacy of the medicine if these are taken in moderation & a significant gap is maintained between them & the medicine. Homoeopathic medicines act well on patients habituated to coffee and betel.

Myth - Disease increases after taking treatment

Everyone knows that homoeopathic medicines are given on the basis of symptom similarity. Primary action of the medicine may be observed by the patient as an aggravation of his disease but in fact it is only homoeopathic

aggravation which is a part of curative process.

Myth - Homoeopathic medicines should not be touched

One can always take the medicine on one's clean hands.

Myth - Homoeopathy is only good for children

Homoeopathic Medicines are equally good for children and adults. If homoeopathic treatment is given to children right from the beginning, it not only helps to remove the disease completely but also increases their resistance and prevents the disease from becoming chronic, thereby, developing stronger generations.

Myth - Pathological investigations are not required in Homoeopathy

Although for initial homoeopathic prescription investigations are not required but to treat the case holistically and to know about its prognosis appropriate investigations are a must. They also help in proper management of the case and its follow up.

Myth - Single medicine should be given

Single medicine should be the first choice as per homoeopathic principles but the complex symptom picture presented by the patient makes it difficult to prescribe the similitum at times. Hence, combination medicines have become a common practice.

Myth - All homoeopathic medicines are same

It appears that all homoeopathic medicines are same because they are dispensed in globules. Actually in all preparations the vehicle remains the same but it is medicated by different homoeopathic potentised dilutions.

Myth - Homoeopathy is a self-read science

Homoeopathy is a scientific system and is not something, which can be learned from books. For becoming a homoeopath one has to complete a 5½ year degree course in Homoeopathy including one year of internship. During the course, the students are taught, subjects like Anatomy, Physiology, Pathology, Jurisprudence, Surgery, Medicine, Gynaecology & Obstetrics. Practicing Homoeopathy without a recognized degree is a punishable offence under the law. Many colleges in India also offer postgraduation in Homoeopathy, M.D. (Hom), in various disciplines.

#B6 Drops & Tablets (Inflammation)

A homoeopathic Anti-inflammatory

Inflammation is a protective attempt by the organism to remove the injurious stimuli as well as initiate the healing process for the tissue. However, chronic inflammation can also lead to a host of diseases, such as Hay fever, Atherosclerosis and Rheumatoid Arthritis.

Indications: For symptoms of local inflammation like redness, pain, swelling as in Pharyngitis, Tonsillitis, Sinusitis & even rheumatic pains as in Arthritis.

Composition: (Drops): Apis mellifica 4x, Baryta muriaticum 6x, Belladonna 4x, Calcarea iodata 4x, Hepar sulphur 8x, Kali bichromicum 4x, Mercurius corrosivus 6x, Phytolacca decandra 4x.

(Tablets): Apis mellifica 4x, Baryta muriaticum 6x, Belladonna 4x, Calcarea iodata 4x, Hepar sulphur 5x, Kali bichromicum 4x, Mercurius corrosivus 6x, Phytolacca decandra 4x.

Dosage: (Drops): Acute cases: Take 10-15 drops diluted in water, 2 hourly, 6 times a day. **Chronic cases:** Take the dosage twice daily. To avoid aggravation reduce the dose to once daily.

(Tablets): Adults: Take 2 tabs. 2 hourly 6 times a day. **Children:** 1 tablet every 2 hours. Reduce the dosage to 3 times a day for Chronic cases.



#B26 Drops & Tablets (Injury)

For quick healing in all types of injuries

Common injuries include Cuts, Bruises, Burns, Dislocations, Fractures, Sprains and Strains. A wound is a type of injury in which skin is torn, cut or punctured (an open wound), lacerations/abrasions or where blunt force trauma causes a contusion (a closed wound) or bruise, hematoma (collection of blood under the skin) etc.

Indications: Helps relieve symptoms associated with Injuries including sprains, wounds, open ulcers & sepsis.

Composition: (Drops & Tablets): Arnica mon. 3x, Belladonna 3x, Calendula off. 3x, Echinacea an. 3x, Hamamelis vir. 3x, Rhus t. 4x, Symphytum off. 3x, Ruta grav. 3x

Dosage: (Drops): Take 10-15 drops diluted in water, 2 hourly, 6 times a day. Once improvement starts reduce the dose to 3 times a day.

(Tablets): Adults: 2 tabs., 2 hourly or 6 times a day. **Children:** 1 tablet every 2 hours. Once improvement starts reduce the dose to 3 times a day



For best results apply Bakson CALENDULA ointment for dressing wounds & RUTA ointment for Sprains.

#B28 Drops & Tablets (Weight)

Fight Obesity and stay healthy

Overweight is generally defined as having more body fat than is optimally healthy. Overweight is defined as a Body Mass Index (BMI) of 25 or more and Obesity by a BMI of 30 or more. They pose a major risk for chronic diseases, including Type 2 Diabetes, Cardiovascular disease, Hypertension and Stroke and certain forms of Cancer.

Indications: For the tendency to put on weight due to faulty activity of the glandular system including Thyroid Gland.

Composition: (Drops): Calcarea carbonica 8x, Croton tiglium 4x, Fucus vesiculosus 2x, Graphites 8x, Natrum sulphuricum 8x, Spongia tosta 3x

(Tablets): Calcarea carbonica 4x, Croton tiglium 4x, Fucus vesiculosus 2x, Graphites 4x, Natrum sulphuricum 2x, Spongia tosta 3x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 2-3 times a day before meals.

(Tablets): Take 2 tablets, 3 times a day before meals.



For optimal results use Bakson PHYTOLACCA BERRY tablets twice daily.

#B34 Drops & Tablets (Tumour)

For relief from abnormal growths

Abnormal growths, swellings & tumors can be benign or malignant lesions. They are known to occur in almost all organs of the body e.g. Myoma, Uterine fibroids, Warts etc.

Indications: For symptoms of anomalous growths & glandular swellings.

Composition: (Drops): Baryta carbonica 8x, Scrophularia nodosa 2x

(Tablets): Baryta carbonica 6x, Scrophularia nodosa 2x

Dosage: (Drops): 10-15 drops in some water 3 times daily before meals. If malignancy is suspected administer 20 drops in some water 4 times a day. Reduce dosage gradually only after improvement sets in and continue medication for few months.

(Tablets): Take 2 tablets, 3-4 times a day before meals.



#B46 Drops & Tablets (Right Abdominal)

For pain in right side of abdomen

Pain in abdomen is a common complaint. The side and site affected often guide to a diagnosis of underlying cause. But many a times the pain is non specific and often restricted to one side of abdomen. Till the time proper diagnosis is made combating pain is important.

Indications: For right sided pain in abdomen owing to affections of organs on that side.

Composition: (Drops & Tablets): Apis mellifica 4x, Arsenicum album 6x, Bryonia alba 5x, Sulphur 6x

Dosage: (Drops): According to the degree of pain, take 10-15 drops in a little warm water every 15-30 minutes. In chronic cases take 10-15 drops in some water 3 times a day before meals for a minimum of 12-16 weeks.

(Tablets): According to the degree of pain, take 2 tablets every 15-30 minutes. In chronic cases take dose 3 times a day.



For treatment of associated complaints kindly refer to Sections of "Digestive Complaints", "Female Complaints" & "Urinary Complaints".

#B59 Drops & Tablets (Anasarca)

Relieves oedema and fluid retention

Anasarca or oedema is abnormal accumulation of fluid in body. It can be local e.g. around eyes, in legs etc. or systemic i.e. when whole body is affected. Oedema can be a feature of underlying heart or kidney disorders hence timely treatment is important.

Indications: For symptoms of fluid retention associated with various disorders and aids diuresis.

Composition: (Drops & Tablets): Adonis vernalis 3x, Convallaria majalis 3x, Crataegus oxyacantha 3x, Digitalis purpurea 6x, Helleborus niger 3x, Squilla 3x

Dosage: (Drops): In acute cases take 20-30 drops in a little water 2 hourly, 6 times a day. In chronic cases take 15-20 drops in little water 3 times daily.

(Tablets): In acute cases 2 tablets 2 hourly, 6 times a day. In chronic cases take dose thrice daily.



For treatment of associated Cardiovascular or Kidney complaints kindly refer to Sections of "Cardiovascular Complaints" & "Urinary Complaints".

Other B-Drops & Tablets Available for Miscellaneous Complaints

#B18 Teeth Drops & Tablets

Indications: Helps relieve pain associated with dentition, pyorrhoea and eases delayed teething.

Composition: (Drops): Aconitum napellus 4x, Bryonia alba 4x, Calcarea carbonica 8x, Chamomilla 4x, Colocynthis 4x, Ignatia amara 4x, Staphysagria 4x

(Tablets): Aconitum napellus 4x, Bryonia alba 4x, Calcarea carbonica 4x, Chamomilla 4x, Colocynthis 4x, Ignatia amara 4x, Staphysagria 4x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 3 times a day.

(Tablets): Adults: 2 tablets 3 times a day. **Children:** 1 tablet 3 times a day.

#B41 Vitality Drops & Tablets

Indications: For symptoms of palpitation, general weariness, vertigo & tired limbs. Helps retain the lost vigour & vitality of drained out, exhausted & enfeebled individuals.

Composition: (Drops): Acidum nitricum 6x, Acidum phosphoricum 3x, Calcarea iodata 3x, Ferrum iodatum 8x

(Tablets): Acidum nitricum 6x, Acidum phosphoricum 3x, Calcarea iodata 3x, Ferrum iodatum 6x

Dosage: (Drops): 10-15 drops in some water should be taken 2-3 times daily. Once the improvement starts, a maintenance dose of 10-15 drops should be taken once daily for a minimum of 12-16 weeks.

(Tablets): Take 2 tablets, 2-3 times a day. **Maintenance dose:** 1 tablet twice a day for 12-16 weeks.

#B42 Hematinic Drops & Tablets

Indications: For proper production of blood cells and circulation of blood.

Composition: (Drops): Carduus marianus 6x, Arsenicum iodatum 8x, Ceanothus americanus 6x, Ferrum muriaticum 6x, Lycopodium clavatum 6x, Sulphur 6x

(Tablets): Carduus marianus 6x, Arsenicum iodatum 6x, Ceanothus americanus 6x, Ferrum muriaticum 6x, Lycopodium clavatum 6x, Sulphur 6x
Dosage: (Drops): Take 10-15 drops in some water, 3 times a day before meals. In case of pronounced anaemia 10-15 drops should be taken 4-6 times a day.

(Tablets): Take 2 tablets, 3 times a day before meals. In pronounced Anaemia take dose 4-6 times a day.

#B47 Left Abdominal Drops & Tablets

Indications: For left sided pain in abdomen owing to affections of organs on that side.

Composition: (Drops): Lachesis 20x, Lycopodium clavatum 3x, Palladium metallicum 12x, Pimpinella saxifraga 12x

(Tablets): Lachesis 8x, Lycopodium clavatum 3x, Palladium 6x, Pimpinella saxifraga 3x

Dosage: (Drops): According to the degree of pain, 10-15 drops should be taken in a little warm water every 15-30 minutes. In chronic cases 10-15 drops should be taken in some water 3 times a day before meals for a minimum of 12-16 weeks.

(Tablets): According to the degree of pain, take 2 tablets every 15-30 minutes. In chronic cases take dose 3 times a day.

#B60 Inflamed Mucosa Drops & Tablets

Indications: Helps relieve inflammation and catarrhal affections of mucous membranes with irritation of eyes, photophobia, skin rashes.

Composition: (Drops): Lemna minor 3x, Belladonna 3x, Ferrum phosphoricum 8x, Mercurius solubilis 20x, Pulsatilla nigricans 3x

(Tablets): Lemna minor 3x, Belladonna 3x, Ferrum phosphoricum 3x, Mercurius solubilis 6x, Pulsatilla nigricans 3x

Dosage: (Drops): 8-10 drops in water should be given 3-4 times daily. For children 3-5 drops in some water are recommended. In acute cases take the dose 2 hourly, 6 times a day.

(Tablets): Adults: 2 tablets 3-4 times daily. **Children:** 1 tablet 3-4 times daily. In acute cases take dose every 2 hours, 6 times a day.

#B11 Drops & Tablets (Pain)

Pain relief with Homoeopathic Analgesic

Muscle & joint pain is most frequently related to tension, overuse or injury from exercise or physically-demanding work. In these situations, the pain tends to involve specific muscles or joints and starts during or just after the activity.

Indications: Helps relieve tearing, drawing pains in muscles, bones & joints, pain & stiffness of back & neck, numbness down the legs. Relieves pain associated with disorders like acute & chronic Myalgia, Lumbago, Spondylosis & Rheumatic disorders.

Composition: (Drops): Berberis vulgaris 3x, Calcarea phosphorica 8x, Causticum 3x, Rhododendron chrysanthum 3x, Rhus tox. 3x

(Tablets): Berberis vulgaris 3x, Calcarea phosphorica 4x, Causticum 3x, Rhododendron chrysanthum 3x, Rhus tox. 3x

Dosage: (Drops): In acute cases take 10 drops in some water 3 times a day. Once improvement starts reduce dose. In chronic cases take 10 drops in some water 2 times daily before meals for atleast 12-16 weeks.

(Tablets): Adults: Take 2 tablets, 2 hourly. **Children:** 1 tablet 2 hourly. When pain is better reduce dose to 2-3 times a day.

Maintenance dose: 1 tablet twice a day. For Chronic cases take 2 tabs. twice a day for atleast 12-16 weeks.

For best results with #B11 use RHEUM AID tabs. twice daily apply RHEUM AID gel locally.



#B17 Drops & Tablets (Bones)

For bone health and sturdy body

Softening of bones (brittle bones) both in children (due to rickets) and elderly (due to osteoporosis) potentially lead to fractures and deformities. It also causes bone pain and tenderness & muscle weakness.

Indications: For correcting perturbations in growth of bones e.g. in Rickets besides relieving fragility of the bones and symptoms of Arthritis.

Composition: (Drops): Calcarea fluorica 8x, Calcarea phosphorica 8x, Chamomilla 5x, Phytolacca decandra 5x, Hekla lava 8x, Mercurius praecipitatus ruber 8x, Eupatorium perfoliatum 3x, Silicea 8x

(Tablets): Calcarea fluorica 5x, Calcarea phosphorica 5x, Chamomilla 5x, Hekla lava 5x, Mercurius praecipitatus ruber 6x, Eupatorium perfoliatum 3x, Silicea 6x, Phytolacca decandra 5x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 1-2 times a day.

(Tablets): Take 2 tablets, 1-2 times a day.



Use Bakson CALCI AID tablets twice daily with #B17 for best results.

#B52 Drops & Tablets (Arthralgia)

Combat joint pains & stay mobile

Arthralgia literally means joint pain; it is a symptom of injury, infection, illnesses (in particular Arthritis) or an allergic reaction to medication.

Indications: For rheumatic pains of muscles & bones, especially of neck and back, besides relieving symptoms of various other types of joint affections.

Composition: (Drops): Ferrum phosphoricum 8x, Lithium carbonicum 8x, Natrum sulphuricum 8x, Nux vomica 4x, Rhododendron chrysanthum 4x

(Tablets): Ferrum phosphoricum 4x, Lithium carbonicum 4x, Natrum sulphuricum 3x, Nux vomica 4x, Rhododendron chrysanthum 4x

Dosage: (Drops): 10-15 drops in little water is to be taken 2-3 times daily before meals for atleast 12-16 weeks. In acute cases the dose is to be taken 2 hourly, 6 times a day.

(Tablets): Take 2 tabs. 2-3 times daily before meals for 12-16 weeks. In acute cases repeat dose every 2 hours. For chronic cases take medicine for longer duration to build immunity.



For best results apply Bakson RHEUM AID gel locally.

#B69 Drops & Tablets (Sciatica)

Eases pain in legs due to Sciatica

Sciatica is pain resulting from irritation of the Sciatic nerve. The pain is typically felt from the low back to behind the thigh radiating down the knee. It also causes burning sensation, numbness or tingling. While Sciatica is most commonly a result of a disc herniation, any cause of irritation or inflammation of this nerve can reproduce the symptoms of Sciatica.

Indications: Helps relieve formication, pain & weakness in legs, paraesthesia, cramp like drawing in legs due to compression of the Sciatic nerve.

Composition: (Drops): Aconitum napellus 3x, Arsenicum album 6x, Colocynthis 3x, Gnaphalium poly. 3x, Magnesium phos. 8x

(Tablets): Aconitum napellus 3x, Arsenicum album 6x, Colocynthis 3x, Gnaphalium polycephalum 3x, Magnesium phos. 3x

Dosage: (Drops): Take 10-15 drops in little water 2-3 times daily before meals for atleast 12-16 weeks. In acute cases the dose is to be taken 2 hourly, 6 times a day.

(Tablets): Take 2 tablets 3 times a day before meals. On improvement take dose twice a day. In acute cases take dose every 2 hours, 6 times a day.



#B7 | Drops & Tablets (Arthropathy)

Ease Arthritis & prevent deformities

Arthritis is a group of conditions involving damage to the joints of the body. Osteoarthritis is a result of trauma to the joint, infection of the joint or ageing. Other forms are Rheumatoid Arthritis, Psoriatic Arthritis & Septic Arthritis (caused by joint infection). The major complaint is pain initially but may lead to crippling deformities as disease progresses.

Indications: For symptoms of painful, swollen and stiff joints associated with inflammatory & degenerative disorders of joints (Arthritis).

Composition: (Drops): Acidum sulphuricum 6x, Argentum met. 8x, Arnica montana 4x, Bryonia alba 4x, Causticum 6x, Ledum palustre 3x

(Tablets): Acidum sulphuricum 6x, Argentum met. 6x, Arnica montana 4x, Bryonia alba 4x, Causticum 6x, Ledum palustre 3x

Dosage: (Drops): 10-15 drops in little water is to be taken 3 times daily before meals for atleast 12-16 weeks. In acute cases take dose 2 hourly, 6 times a day.

(Tablets): 2 tablets 2-3 times a day before meals. In acute cases take dose every 2 hours, 6 times a day.

Apply Bakson RHUS TOX ointment locally for immediate relief of pain.



#B1 | Drops & Tablets (Influenza & Fever)

Aids recovery from Flu & Fever

Although Influenza is often confused with other similar illnesses, especially the common cold, it is a more severe disease than the common cold. Typically, Influenza is transmitted through the air by coughs or sneezes. Sore throat, fever and cough are the most frequent symptoms.

Indications: For fever, productive cough, sneezing, sore throat associated with Upper Respiratory Tract infection besides relieving malaise, fatigue, body aches.

Composition: (Drops): Baptisia tinctoria 3x, Bryonia alba 3x, Causticum 3x, Eucalyptus globulus 3x, Eupatorium perfoliatum 3x, Ferrum phosphoricum 8x, Gelsemium sempervirens 3x, Sabadilla 3x

(Tablets): Baptisia tinctoria 3x, Bryonia alba 3x, Causticum 3x, Eucalyptus globulus 3x, Eupatorium perfoliatum 3x, Ferrum phosphoricum 4x, Gelsemium sempervirens 3x, Sabadilla 3x

Dosage: (Drops): 10-15 drops should be diluted in water and taken every 15 minutes to 2 hours.

(Tablets): Take 2 tablets every 2 hours.



#B22 Drops & Tablets (Sinus)

Combat cold and sinus problems

Sinusitis is a common problem caused by acute or chronic inflammation of the Paranasal Sinuses. It presents with malaise, mild fever, headache, pain behind the eyes and nasal discharge. The area of the face over the inflamed sinus may even appear swollen in some cases.


Indications: Helps relieve thick/watery discharge from nose, recurrent sneezing, stuffy nose, headache especially in acute/chronic Sinusitis & Consequent inability to smell.

Composition: [Drops]: Arsenicum album 6x, Calcarea carbonica 8x, Hydrastis canadensis 3x, Kali bichromicum 4x, Pulsatilla nigricans 3x

[Tablets]: Arsenicum album 6x, Calcarea carbonica 4x, Hydrastis canadensis 3x, Kali bichromicum 4x, Pulsatilla nigricans 3x

Dosage: [Drops]: Take 10 drops in luke warm water 3 times a day. In acute cases take 10-15 drops in luke warm water, 2 hourly, 6 times a day.

[Tablets]: Adults: 2 tablets thrice a day. **Children:** 1 tablet thrice a day. In acute case take dose every 2 hrs., 6 times a day.



Use Bakson ALLER AID tablets twice daily with #B22 for best results.

#B33 Drops & Tablets (Cough)

Controls cough, soothes throat

A cough is a sudden & often repetitively occurring reflex which clears the lung passages from secretions, irritants, foreign particles and microbes. Mostly coughing is caused by a respiratory tract infection, choking, smoking, air pollution, Asthma, Gastroesophageal Reflux Disease, post-nasal drip, Chronic Bronchitis or Heart affections.

Indications: For continuous/spasmodic/ suffocative cough with or without sputum associated with Rhinitis, Tonsillitis, Laryngitis, Pharyngitis, Bronchitis & Bronchial Asthma.



Composition: [Drops & Tablets]: Belladonna 3x, Bryonia alba 3x, Cuprum aceticum 4x, Drosera rotundifolia 3x, Ipecacuanha 3x, Rumex crispus 3x, Spongia tosta 3x, Squilla 3x, Thymus serpyllum Ø

Dosage: [Drops]: Take 10-15 drops preferably in lukewarm water every 2-3 hours. In very acute cases the dose should be taken every 1-2 hours.

[Tablets]: Adults: 2 tabs. every 2-3 hours. **Children:** 1 tab. every 2-3 hours. Take more frequently in acute cases. For chronic cough use for longer periods to build immunity.

Use Bakson ASTHA AID tablets twice daily with #B33 in Bronchitis & Asthma.

#B49 Drops & Tablets (Asthma)

Easy breather

Asthma is a common chronic disorder of the airways characterized by variable and recurring symptoms of airflow obstruction, bronchospasm & an underlying inflammation. There are various triggers exacerbating the attacks of Asthma like pollens, dust, mites, certain medicines and certain food items.

Indications: For cough especially at night, shortness of breath, chest tightness, wheezing (whistling sound during breathing) seen in Bronchial Asthma.

Composition: (Drops): Arsenicum album 6x, Belladonna 4x, Bryonia alba 4x, Kali phosphoricum 8x, Natrum muriaticum 8x, Natrum sulphuricum 8x, Veratrum alb. 4x, Eriodictyon gl. 4x

(Tablets): Arsenicum album 6x, Belladonna 4x, Bryonia alba 4x, Kali phosphoricum 4x, Natrum muriaticum 4x, Natrum sulphuricum 4x, Veratrum alb. 4x, Eriodictyon gl. 4x

Dosage: (Drops): Take 10-15 drops in some water 2-3 times daily. During an attack repeat the dose in lukewarm water every 1/2 hr to 2 hrs., depending upon severity. **Maintenance Dose:** Take once or twice daily for a minimum of 16-20 weeks.

(Tablets): Take 2 tablets, 2-3 times daily. During attack repeat dose every 1/2-2 hours.



Other B-Drops & Tablets Available for Respiratory Complaints

#B40 Pleurisy Drops & Tablets

Indications: Helps relieve pain in intercostal space with associated symptoms of suffocation, cough and difficult breathing in affections of lungs and pleurae.

Composition: (Drops): Cimicifuga racemosa 3x, Colocynthis 3x, Kali carbonicum 8x, Natrum sulphuricum 8x, Ranunculus bulbosus 3x

(Tablets): Cimicifuga racemosa 3x, Colocynthis 3x, Kali carbonicum 4x, Natrum sulphuricum 3x, Ranunculus bulbosus 3x

Dosage: (Drops): 10 drops in some water, 3 times daily. During an acute attack of cough and chest pain take 10-15 drops in some water 4-6 times a day. On improvement revert to normal dosage and continue the treatment until confirmed complete recovery.

(Tablets): Take 2 tablets, 3 times a day. In acute cases take dose 4-6 times a day. Use Bakson ASTHA AID tablets twice daily with #B40 for best results.

#B5 I Laryngeal Drops & Tablets

Indications: Helps relieve chronic hoarseness of singers, actors, teachers and public speakers; besides relieving other symptoms of laryngitis like sore throat and cough.

Composition: (Drops): Argentum nitricum 6x, Arnica montana 4x, Phytolacca decandra 4x, Calcarea carbonica 8x

(Tablets): Argentum nitricum 6x, Arnica montana 4x, Phytolacca decandra 4x, Calcarea carbonica 4x

Dosage: (Drops): Acute cases: 3 doses of 10-15 drops each at 15 mins. interval followed by every 2 hours till improvement sets in.

Chronic cases: 10-15 drops in some water 3 times daily before meals for at least 12-16 weeks.

[Tablets]: Acute cases: 2 tablets, every 2 hours. **Chronic cases:** 2 tablets 3 times daily.

Use Bakson THROAT AID tablets twice daily with #B51 for best results.

#B54 Pulmonic Drops & Tablets

Indications: For cough, general weakness, lassitude, pain in shoulders & nocturnal perspiration associated with lung disorders like Bronchitis, Bronchial Asthma, Pneumonia.

Composition: (Drops): Acidum picricum 6x, Bryonia alba 4x, Dulcamara 4x, Ferrum phosphoricum 8x, Kali carbonicum 8x, Lycopodium clavatum 4x, Sepia 20x, Silicea 8x

[Tablets]: Acidum picricum 6x, Bryonia alba 4x, Dulcamara 4x, Ferrum phosphoricum 4x, Kali carbonicum 4x, Lycopodium clavatum 4x, Sepia 4x, Silicea 4x

Dosage: (Drops): 10-15 drops in some water, 3 times daily before meals. In acute cases the same dose is to be taken 2 hourly, 6 times a day.

[Tablets]: Take 2 tabs., 3 times a day before meals. In acute cases take dose every 2 hours 6 times a day.

Use Bakson ASTHAID tablets twice daily with #B54 for best results.

#B58 Pneumo Hepatic Drops & Tablets

Indications: Helps relieve associated symptoms of lung and liver disorders like loss of appetite, sensitivity to cold.

Composition: (Drops): Arsenicum iodatum 8x, Calcarea carbonica 8x, Lycopodium clavatum 4x, Silicea 8x

[Tablets]: Arsenicum iodatum 6x, Calcarea carbonica 4x, Lycopodium clavatum 4x, Silicea 4x

Dosage: (Drops): 10-15 drops in little water, 2-3 times daily before meals.

[Tablets]: Take 2 tablets, 2-3 times daily before meals.

Use Bakson ASTHAID tablets twice daily with #B58 for best results.

»SKIN COMPLAINTS

#B23 Drops & Tablets (Skin)

For healthy skin

Diseases of skin are of varied causation like allergies, irritants, genetic make up, systemic diseases, autoimmune disorders etc. Very often they present with itching, eruptions, Acne, Eczema, Rashes & Hives. These skin conditions affect one's appearance besides causing obvious discomfort.

Indications: Helps relieve itching, Eruptions, Rashes & other symptoms of acute and chronic Eczema, Pimples, Skin Rashes, Urticaria and Psoriasis.

Composition: (Drops & Tablets): Apis mellifica 4x, Arsenicum album 6x, Rhus toxicodendron 4x

Dosage: (Drops): Take 10 drops diluted in some water, 2-3 times a day.

[Tablets]: 1 Tablet, 3 times a day before meals.



Eczema



Acne



Psoriasis

Apply Bakson S CURE ointment externally for best results.

#B25 Drops & Tablets (Acne)

For a pimple free look

Acne is a disorder of the hair follicles and Sebaceous glands. The glands become clogged leading to pimples and cysts. It most often begins in puberty. It is characterized by non-inflammatory follicular papules or comedones and by inflammatory papules, pustules and nodules in its more severe forms.

Indications: Helps relieve pimples, blackheads, white heads, Acne vulgaris and Eczema.

Composition: (Drops): Ammonium bromatum 5x, Bromium 6x, Hepar sulphur 8x, Juglans regia 4x, Kali bromatum 4x, Ledum palustre 4x, Natrum bromatum 8x, Natrum muriaticum 8x, Viola tricolor 5x

(Tablets): Ammonium bromatum 5x, Bromium 6x, Hepar sulphur 5x, Juglans regia 4x, Kali bromatum 4x, Ledum palustre 4x, Natrum bromatum 4x, Natrum muriaticum 4x, Viola tricolor 5x

Dosage: (Drops): 10-15 drops should be diluted in water and taken 2 times a day.

(Tablets): Take 1 tablet, twice a day. After a fortnight if improvement is slow take dose 3 times a day.

**Use Bakson ACNE AID tablets twice daily with #B25
& apply Bakson ACNE AID ointment locally for best results.**



#B6 I Drops & Tablets (Blood Purifier)

Removes toxins, fights skin infections

Blood purification is necessary to make the blood clean to better transfer oxygen and other important nutrients to all parts of the body. When there are too much toxins in the blood and body, one may start seeing symptoms such as fatigue, headaches, allergies, skin affections, breathing problems & low immune system.

Indications: Helps relieve signs & symptoms of unhealthy skin like Boils, Abscesses, Pimples, Eczema & swelling of lymph glands associated with impurities in blood.

Composition: (Drops): Conium maculatum 4x, Hepar sulphur 8x, Juglans regia 4x, Sarsaparilla 4x, Scrophularia nodosa 4x

(Tablets): Conium maculatum 4x, Hepar sulphur 4x, Juglans regia 4x, Sarsaparilla 4x, Scrophularia nodosa 4x

Dosage: (Drops): 5-10 drops should be given in water, 2 times daily before meals.

(Tablets): Take 1 tablet, twice daily before meals.



#B64 Drops & Tablets (Dermato)

For scaly diseases of skin

The list of medical condition causes of Scaly skin (Scaling skin) includes Eczema, Fungal skin infection, Ichthyosis, Psoriasis. Dry/scaly skin is otherwise most commonly observed in the lower legs, arms, flanks (sides of the abdomen) and thighs.

Indications: Helps relieve scaling (exfoliation of skin) & thickening of epidermoid layer in Eczema & Psoriasis.

Composition: (Drops): Berberis aquifolium Ø, Calcarea carbonica 8x, Graphites 8x, Hydrocotyle asiatica 2x, Natrum muriaticum 8x

(Tablets): Berberis aquifolium Ø, Calcarea carbonica 6x, Graphites 5x, Hydrocotyle asiatica 2x, Natrum muriaticum 5x

Dosage: (Drops): 10-15 drops in water, 2-3 times daily before meals.

(Tablets): Take 1 tablet, thrice a day before meals.



Apply Bakson ALOEVERTA CALENDULA cream externally for best results.

Other B-Drops & Tablets Available for Skin Complaints

#B38 Reactivating Drops & Tablets

Indications: Helps improve the lowered reactivity of the body manifested as obstinate skin affections which do not respond to any therapy. Helps improve General dyscrasia.

Composition: (Drops): Medorrhinum 20x, Psorinum 20x, Thuja occidentalis 20x, Vaccinium myrtillus 20x

(Tablets): Medorrhinum 3x, Psorinum 3x, Thuja occidentalis 3x, Vaccinium 3x

Dosage: (Drops): Take 10-15 drops in water, 3 times daily before meals atleast for 12-16 weeks.

(Tablets): Take 2 tablets, 3 times a day before meals.

#B43 Hyper Hydrosis Drops & Tablets

Indications: Helps relieve profuse perspiration, unpleasant, hot, cold or sticky sweat causing exhaustion associated with climacteric disorders, acute infectious diseases and fever.

Composition: (Drops): Acidum nitricum 6x, Belladonna 3x, Jaborandi 3x, Kali carbonicum 8x, Lachesis 20x, Salvia officinalis 12x, Sambucus nigra 3x, Sanguinaria canadensis 3x, Sepia 20x, Veratrum album 3x

(Tablets): Acidum nitricum 6x, Belladonna 3x, Jaborandi 3x, Kali carbonicum 3x, Lachesis 8x, Salvia officinalis 3x, Sambucus nigra 3x, Sanguinaria canadensis 3x, Sepia 3x, Veratrum album 3x

Dosage: (Drops): Take 10-15 drops in some water, 3-4 times a day.

(Tablets): Take 2 tabs., 3 times a day

#B67 Shingles Drops & Herpes Tablets

Indications: Helps relieve itching vesicles, neuralgia with burning and itching, Herpes labialis and Herpes zoster.

Composition: (Drop): Croton tig. 4x, Mezereum 12x, Nat. mur. 8x, Rhus tox. 4x

(Tablets): Croton tig. 4x, Mezereum 4x, Nat. mur. 3x, Rhus tox. 4x

Dosage: (Drops): Take 10 drops in some water every half to one hour. Once improvement starts, take 10-15 drops 3-4 times daily.

(Tablets): Take 1 tablet, every ½-1 hour. Once improvement starts, take dose 3-4 times daily.

#B14 Drops & Tablets (Renal)

Aids expulsion of kidney stones

A kidney stone is a hard, crystalline mineral material formed within the kidney or urinary tract. Kidney stones are a common cause of blood in the urine and often cause severe pain in the abdomen, flank or groin. It also predisposes to Urinary Tract Infection presenting with dysuria, frequency and urgency.


Indications: Helps relieve symptoms of Renal calculi including colic and Urinary Tract Infections.

Composition: (Drops & Tablets):

Acidum nitricum 6x, Berberis vulgaris 3x, Lycopodium clavatum 4x, Uva ursi 2x, Sarsaparilla 3x

Dosage: (Drops): 10-15 drops should be diluted in water and taken 2 hourly, 6 times a day in acute pain. Once improvement starts reduce dose to three times a day.

(Tablets): In acute pain take 2 tabs. every 2 hours or 6 times a day. Once improvement starts reduce dose to 3 times a day.



#B30 Drops & Tablets (Nocturnal)

Freedom from bed-wetting

Nocturnal enuresis, commonly called bedwetting, is a medical term for involuntary urination while asleep after the age at which bladder control usually occurs. Nocturnal enuresis is considered primary when a child has not yet had a prolonged period of being dry. Secondary nocturnal enuresis is when a child or adult begins wetting again after having stayed dry.

Indications: For bedwetting as in nocturnal enuresis and involuntary urination due to bladder weakness.

Composition: (Drops): Calcarea phosphorica 8x, Ferrum phos. 8x, Kali phos. 8x, Pulsatilla nigricans 3x, Sepia 20x

(Tablets): Calcarea phosphorica 3x, Ferrum phos. 3x, Kali phos. 3x, Pulsatilla nigricans 3x, Sepia 3x

Dosage: (Drops): Adults: 10-15 drops should be diluted with water and taken 3 times a day. **Children:** 8-10 drops should be diluted with water and taken 3 times a day.

(Tablets): Adults: Take 2 tablets, 3 times a day. **Children:** Take 1 tablet, 3 times a day.



#B35 Drops & Tablets (Urinary)

For Urinary Disorders


Urinary Tract Disorders cover a wide range of illnesses, some of which cause pain, urinary incontinence, bloody urine, urgency, dysuria and increased frequency of urine. Besides intake of plenty of fluids proper medication is important to counter infection.

Indications: For itching, pain and/or burning in urethra and other symptoms of Urinary Tract Disorders.

Composition: [Drops & Tablets]: Berberis vulgaris 3x, Cantharis 3x, Dulcamara 3x, Equisetum hyemale 3x, Eupatorium purpureum 3x

Dosage: [Drops]: 10-15 drops in some water 3-4 times a day. In acute cystitis the dose should be taken every 1-2 hours. Revert to normal dosage as soon as improvement starts.

[Tablets]: Adults: 2 tabs. 3 times a day. **Children:** 1 tab. 3 times a day. If better take dose twice a day.



#B63 Drops & Tablets (Kidney)

Fights Kidney Disorders

The kidneys, a pair of vital organs that filter waste and water from our blood, are often afflicted with disease caused by a variety of problems. It presents with range of symptoms like high fever (in infection), edema, bloody urine, pain in lower back or flanks, Hypertension, decreased urination or complete suppression of urine.

Indications: Helps relieve exhaustion, backache, pain in the region of kidneys, albuminuria, proteinuria & other associated symptoms of Kidney disorders.

Composition: [Drops]: Helonias dioica 3x, Kali arsenicosum 6x, Phosphorus 4x, Plumbum metallicum 8x

[Tablets]: Helonias dioica 3x, Kali arsenicosum 6x, Phosphorus 4x, Plumbum metallicum 6x

Dosage: [Drops]: 10-15 drops in water 3 times daily before meals. In acute cases take dose 2 hourly, 6 times a day. Once improvement starts revert to normal dosage.

[Tablets]: Take 2 tablets, 3 times daily before meals. In acute cases take dose 2 hourly, 6 times a day.



#B2 Drops & Tablets (Stomach)

A safe Antacid

Gastritis is an inflammation of the lining of the stomach and has many possible causes. Gastritis can be caused by alcoholism, prolonged use of nonsteroidal anti-inflammatory drugs or infection with *Helicobacter pylori*, major surgery, traumatic injury/burns. It presents with abdominal pain & bloating, belching and dyspepsia.

Indications: Helps relieve symptoms of acute & chronic Gastritis like dyspepsia, flatulence, heart burn & ulceration.

Composition: (Drops): Anacardium occ. 3x, Argentum nitricum 6x, Arsenicum album 6x, Atropinum 8x, Carbo veg. 8x, Chamomilla 2x, Chelidonium maj. 3x, Lycopodium clav. 3x, Scrophularia nod. 3x

(Tablets): Anacardium occ. 3x, Argentum nitricum 6x, Arsenicum album 6x, Atropinum 6x, Carbo veg. 4x, Chamomilla 2x, Chelidonium majus 3x, Lycopodium clavatum 3x, Scrophularia nodosa 3x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 3 times a day. In acute cases take the dose 2 hourly, 6 times a day.

(Tablets): Adults: 2 tablets, 3 times a day. **Children:** 1 tablet, 3 times a day.

GASTRIC ULCER



DUODENAL ULCER



#B3 Drops & Tablets (Diarrhoea)

Checks Diarrhoea/Dysentery

Diarrhoea is the passage of 3 or more loose stools per day or more frequently than is normal for the individual. It is usually a symptom of gastrointestinal infection caused by bacterial, viral and parasitic organisms. Dysentery is an inflammatory disorder of the intestine, especially of colon, that results in severe Diarrhoea containing mucus and/or blood in the feces with fever and abdominal pain.

Indications: Helps relieve chronic and acute Gastroenterocolitis presenting with Diarrhoea or Dysentery.

Composition: (Drops): Acidum phos. 3x, Baptisia tinc. 4x, Chamomilla 4x, Cinchona officinalis 3x, Colocynthis 6x, Ferrum phos. 8x, Mercurius corrosivus 6x, Oleander 5x, Rhus tox. 4x, Veratrum album 6x

(Tablets): Acidum phos. 3x, Baptisia tinc. 4x, Chamomilla 4x, Cinchona officinalis 3x, Colocynthis 6x, Ferrum phos. 6x, Mercurius corrosivus 6x, Oleander 5x, Rhus tox. 4x, Veratrum album 6x

Dosage: (Drops): Acute cases: Take 10-20 drops diluted in water, 2 hourly, 6 times a day. **Chronic cases:** Take 10-20 drops diluted in water 2-3 times a day. Maintain proper water intake to prevent dehydration.

(Tablets): Adults: Acute cases: 2 tabs. every 2 hours, 6 times a day. **Chronic cases:** 2 tabs. 2-3 times a day. **Children:** 1 tablet every 2-3 hours.



#B9 Drops & Tablets (Hemorrhoidal)

Relieves agony of Piles

Hemorrhoids are swollen, inflamed veins around the anus or lower rectum. They often result from straining to have a bowel movement. Other factors include pregnancy, aging and chronic Constipation or Diarrhoea. They may be bleeding or non bleeding.

Indications: Helps relieve Hemorrhoids & Anal Fissure presenting with anal itching and profuse bleeding.


Composition: (Drops): Acidum nitr. 6x, Aesculus hip. 2x, Collinsonia can. 4x, Graphites 8x, Hamamelis virg. 3x, Kali carbonicum 8x, Lycopodium clavatum 4x, Paeonia officinalis 3x, Sulphur 5x

(Tablets): Acidum nitr. 6x, Aesculus hip. 2x, Collinsonia can. 4x, Graphites 4x, Hamamelis virg. 3x, Kali carbonicum 4x, Lycopodium clavatum 4x, Paeonia officinalis 3x, Sulphur 3x

Dosage: (Drops): Take 10-15 drops diluted in water, 2 hourly, 6 times a day. Once improvement starts maintenance dose to be taken two times a day.

(Tablets): Take 2 tablets, 2 hourly, 6 times a day. **Maintenance dose:** 2 tablets, twice a day.

Use Bakson PIL60 tablets twice daily with #B9 & apply Bakson AESCULUS ointment externally for best results.



#B19 Drops & Tablets (Colic)

Releases you from gripping pain

Colic is a severe paroxysmal pain in the abdomen due to spasm, obstruction, flatulence or distention of any of the abdominal organs. Besides commonly observed colic in babies, the two types seen in adults are Renal and Intestinal colic.

Indications: Helps relieve flatulence, intestinal colic, abdominal spasm and constipation.

Composition: (Drops): Alumina 8x, Bryonia alba 4x, Colocynthis 4x, Magnesium phosphoricum 8x, Lycopodium clavatum 4x, Mercurius corrosivus 6x, Plumbum aceticum 8x, Sulphur 6x

(Tablets): Alumina 6x, Bryonia alba 4x, Colocynthis 4x, Lycopodium clavatum 4x, Magnesium phosphoricum 4x, Mercurius corrosivus 6x, Plumbum aceticum 6x, Sulphur 6x

Dosage: (Drops): Acute cases: Take 10-15 drops diluted in water, 2 hourly, 6 times a day. **Chronic cases:** Take the dose 3 times a day.

(Tablets): Adults: In acute case 2 tablets every 2 hours or 6 times a day. **Children:** 1 tablet every 2 hours. In chronic cases take the dose 3 times a day.



#B32 Drops & Tablets (Lax-n-Liv)

Regulates bowel movements

Constipation means different things to different people. For many people, it simply means infrequent stools. For others, however, constipation means hard stools, difficulty passing stools (straining) or a sense of incomplete emptying after a bowel movement.

Indications: Helps relieve symptoms of impaired bile secretion; lack of appetite, bitter taste in mouth, flatulence, constipation & pain in abdomen associated with Liver & Gall bladder disorders like Gall stones and Hepatitis.

Composition: (Drops): Carduus marianus 2x, Chelidonium majus 2x, Cholesterinum 8x, Colocynthis 5x, Lycopodium clavatum 4x, Nuxvomica 4x

(Tablets): Carduus marianus 2x, Chelidonium majus 2x, Cholesterinum 6x, Colocynthis 5x, Lycopodium clavatum 4x, Nuxvomica 4x

Dosage: (Drops): 10-15 drops in some water, 3 times a day before meals for 1-2 weeks. If not much improvement then take 10-15 drops, 4-6 times a day and reduce the dose when improving. Even after complete disappearance of the complaints take 10-15 drops 1-3 times a day for more time, watching diet rigorously

(Tablets): Adults: 2 tabs., 3 times a day before meals. **Children:** 1 tab. 3 times a day. If no improvement, take the dose 4-6 times a day.



Other B-Drops & Tablets Available for Digestive Complaints

#B24 Nausea Drops & Tablets

Indications: Helps relieve nausea, vomiting due to seasickness, morning sickness, Gastritis of drinkers & otherwise.

Composition: (Drops & Tablets): Aethusa cynapium 3x, Cocculus indicus 3x, Colchicum autumnale 3x, Ipecacuanha 3x, Nuxvomica 4x, Petroleum 3x, Veratrum album 3x

Dosage: (Drops): Take 10-15 drops diluted with water 3 times a day or every 2 hours in acute cases.

(Tablets): Adults: 2 tablets, thrice a day. **Children:** 1 tablet thrice a day. For acute case take the dose, 6 times a day.

#B27 Worms Drops & Tablets

Indications: Helps in deworming all types of worms including Ascarides and Threadworms.

Composition: (Drops): Artemisia vulgaris 3x, Cina 3x, Filix mas 3x, Graphites 8x, Mercurius corrosivus 6x

(Tablets): Artemisia vulgaris 3x, Cina 3x, Filix mas 3x, Graphites 3x, Mercurius corrosivus 6x

Dosage: (Drops): Take 10-15 drops diluted with water 2-3 times a day.

(Tablets): Take 2 tablets, 2-3 times a day.

#B70 Pancreatic Drops & Tablets

Indications: Helps relieve symptoms of bloated abdomen/ increased flatulence, left hypogastric pain and indigestion associated with Pancreatic affections.

Composition: (Drops & Tablets): Apis mellifica 4x, Colocynthis 4x, Lycopodium clavatum 4x, Iris versicolor 4x, Phosphorus 5x

Dosage: (Drops): Take 10-15 drops diluted with water, 3-4 times a day.

(Tablets): 2 tablets 3-4 times a day.

#B20 Drops & Tablets (Sugar)

Maintains normal Blood Sugar levels

Diabetes mellitus is impaired insulin secretion and/or variable degrees of peripheral insulin resistance leading to high blood sugar (hyperglycemia). Early symptoms are related to hyperglycemia and include increased thirst, increased appetite & increased urination.

Prediabetes: Fasting Blood Glucose (FBG) is 100-125 mg/dl & PP Blood Glucose is 140-199 mg/dl. **Diabetes:** FBG is ≥ 126 mg/dl & PP level is ≥ 200 mg/dl.

Indications: Helps in relieving hyperglycemia and symptoms associated with Diabetes.

Composition: (Drops): Acidum phosphoricum 6x, Arsenicum album 6x, Lycopodium clavatum 4x, Natrum sulphuricum 8x, Phaseolus 4x, Secale cornutum 4x, Syzygium jambolanum 4x

(Tablets): Acidum phosphoricum 6x, Arsenicum album 6x, Lycopodium clavatum 4x, Natrum sulphuricum 4x, Phaseolus 4x, Secale cornutum 4x, Syzygium jambolanum 4x

Dosage: (Drops): 15-20 drops should be diluted with water and taken 3 times a day before meals.

(Tablets): Take 2 Tablets, 3 times a day before meals.



#B36 Drops & Tablets (Endocrine) (Males) &

#B37 Drops & Tablets (Endocrine) (Females)

The endocrine system encompasses several glands in different parts of the body. These glands secrete hormones directly into the bloodstream & affect various important functions. The delicate balance of endocrine secretions can be disturbed by stress, infection & other factors. The disorders include Growth disturbances, Obesity, Thyroid dysfunction, Polycystic Ovarian Disease, Addison's disease & Impotency (Sexual dysfunction) in men.

Indications: Helps relieve symptoms of endocrine disorders in men (#B36) and women (#B37)

Composition of #B36 (Drops): Adrenalinum 8x, Glandulae thymi 20x, Pituitarinum 20x, Orchitinum (Testis) 20x, Pancreatinum 8x, Thyroidinum 12x

Composition of #B37 (Drops): Adrenalinum 8x, Glandulae thymi 20x, Pituitarinum 20x, Oophorinum (Ovary) 20x, Pancreatinum 8x, Thyroidinum 12x

Composition of #B36 (Tablets): Glandulae suprarenal (Adrenalinum) 8x, Glandulae thymi 8x, Hypophysis (Pituitarum posterium) 8x, Pancreas (Pancreatinum) 8x, Testis (Orchitinum) 8x, Thyroidinum 8x

Composition of #B37 (Tablets): Glandulae suprarenal (Adrenalinum) 8x, Glandulae thymi 8x, Hypophysis (Pituitarum posterium) 8x, Pancreas (Pancreatinum) 8x, Ovary (Oophorinum) 8x, Thyroidinum 8x

Dosage # B36 & B37 (Drops): 10-15 drops in some water, 3 times a day.

Dosage of # B36 & B37 (Tablets): Take 2 tablets, 3 times a day.

#B56

Drops & Tablets
(Thyrotoxic)

Makes Thyroid Gland work efficiently

Thyrotoxicosis, a toxic condition can be caused by an excessive intake of thyroid hormone or by overproduction of thyroid hormones by the Thyroid Gland. The common symptoms include excessive sweating, heat intolerance, tremors, weight loss etc.

Indications: Helps relieve trembling of hands, perspiration, exophthalmos, emaciation, diarrhoea and other associated symptoms of Thyrotoxicosis.

Composition: (Drops): Atropinum 8x, Bromium 6x, Hekla lava 8x, Iodium 4x, Spongia tosta 4x, Natrum muriaticum 8x

(Tablets): Atropinum 6x, Hekla lava 4x, Iodium 4x, Spongia tosta 4x, Bromium 6x, Natrum muriaticum 4x

Dosage: (Drops): In the first week of treatment take 10-15 drops in a little water 4 times daily before meals. For the next week, take the dose 3 times daily and there after 2 times daily.

(Tablets): In first week 2 tablets 4 times daily before meals. In next week, take dose 3 times daily & there after 2 times daily.



#B10

Drops & Tablets
(Sleep)

Non addictive formulation for sleeplessness

Most adults have experienced insomnia or sleeplessness at one time or another in their lives. Insomnia is a symptom, not a stand-alone diagnosis or a disease. By definition, Insomnia is "difficulty initiating or maintaining sleep or both" and it may be due to inadequate quality or quantity of sleep. The most common causes are stressful situations; changes in shift work; any psychiatric condition or withdrawal from drug, alcohol, sedatives.

Indications: Helps relieve Insomnia, disturbed sleep patterns, nervous exhaustion and restlessness.

Composition: (Drops): Ammonium bromatum 3x, Avena sativa Ø, Chamomilla 4x, Kali phosphoricum 8x, Lupulus 2x, Ignatia amara 6x, Passiflora incarnata 2x, Valeriana officinalis Ø

(Tablets): Ammonium bromidum 3x, Avena sativa Ø, Chamomilla 4x, Kali phosphoricum 2x, Lupulus 2x, Ignatia amara 6x, Passiflora incarnata 2x, Valeriana officinalis Ø

Dosage: (Drops): 10-20 drops should be diluted with water and taken 3 times a day.

(Tablets): Take 2 tabs., 3 times a day.



#B12 Drops & Tablets (Headache)

Relieves all types of Headache

Headache or cephalgia is defined as pain in the head or upper neck. It can be a symptom of a number of different conditions of the head and neck. The most common type of headache is a tension headache. Tension headaches are due to tight muscles in shoulders, neck, scalp and jaw. They are often related to stress, depression or anxiety. Other common types of headaches include Migraines, Cluster & Sinus Headaches.

Indications: Helps relieve Migraine, Tension headaches and alleviates indisposition to continuous/chronic headaches.

Composition: (Drops): Cimicifuga rac. 3x, Gelsemium semp. 3x, Iris ver. 2x, Sanguinaria can. 3x, Spigelia anthelmia 12x

(Tablets): Cimicifuga rac. 3x, Gelsemium semp. 3x, Iris ver. 2x, Sanguinaria can. 3x, Spigelia marilandica 3x

Dosage: (Drops): Acute cases: 10-15 drops should be diluted in water and taken 2 hourly, 6 times a day. **Chronic cases:** Take the dosage two times a day.

(Tablets): Adults: Take 2 tablets, 4 times a day. **Children:** One tablet 4 times a day. For Chronic cases take 2 tabs. twice a day for atleast 12-16 weeks.

Use Bakson MIG AID tabs. twice daily & DIGE AID syrup with #B12 for best results.



#B16 Drops & Tablets (Vertigo)

Makes you stand steady

Vertigo is a type of dizziness, where there is a feeling of motion when one is stationary. The symptoms are due to a dysfunction of the vestibular system in the inner ear. It is often associated with nausea and vomiting as well as difficulties in standing or walking.

Indications: Helps relieve Vertigo & travel sickness.

Composition: (Drops & Tablets): Argentum nitricum 6x, Cocculus indicus 4x, Conium maculatum 4x, Gelsemium sempervirens 3x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 3 times a day before meals.

(Tablets): Take 2 tablets, 3 times a day before meals.



#B44 Drops & Tablets (Convulsion)

Effective relief from Convulsions

Convulsions are when a person's body shakes rapidly and uncontrollably. During convulsions, the person's muscles contract and relax repeatedly. Its causes are alcoholism, brain illness or injury or tumor, drug abuse, fever, low blood sugar, Malignant Hypertension or Epileptic Seizures.

Indications: For cramps, epileptic spasms, Convulsions and twitching of muscles.

Composition: (Drops): Bufo rana 20x, Cuprum metallicum 8x, Pulsatilla nigricans 2x, Silicea 8x, Zincum metallicum 8x

(Tablets): Bufo rana 8x, Cuprum metallicum 3x, Pulsatilla nigricans 2x, Silicea 3x, Zincum metallicum 3x

Dosage: (Drops): 10-15 drops in some water should be taken 3 times daily for a minimum of 12-16 weeks. With the onset of an attack 20 drops in some water should be taken every ½ hour to 2 hours. Once improvement starts take dose twice daily.

(Tablets): Take 2 tabs., 3 times daily for 12- 16 weeks. During attack take 2 tabs. every ½ hour to 2 hours.



#B57 Drops & Tablets (Memory)

Makes memory sharp

In today's generation, weak memory is really a very common and serious problem. Weakness of memory can affect one's performance at work or academics, motivation to perform and ultimately his/her self-esteem. Forgetfulness may be due to various reasons. Common causes of weak memory are lack of interest or concentration, aging, depression, anxiety, brain tumors, over medications etc.

Indications: For the state of weak memory.

Composition: (Drops): Anacardium occidentale 3x, Arsenicum album 6x, Belladonna 3x, Gelsemium sempervirens 3x, Kali phosphoricum 8x, Lycopodium clavatum 3x, Sepia 20x

(Tablets): Anacardium occidentale 3x, Arsenicum album 6x, Belladonna 3x, Gelsemium sempervirens 3x, Kali phosphoricum 3x, Lycopodium clavatum 3x, Sepia 3x

Dosage: (Drops): 10-15 drops in some water, 2 times daily before meals. After improvement begins take the dose once daily.

(Tablets): Take 2 tablets, twice daily before meals. After improvement starts take 1 tablet twice daily.



#B68 Drops & Tablets (Neuralgia)

Relieves agony of Neuralgia

Neuralgia is an intense burning or stabbing pain caused by irritation or damage to a nerve. It often feels as if pain is shooting along the course of the affected nerve or pain is usually felt in the part of the body that is supplied by the irritated nerve lasting for a few seconds to few minutes. In some cases pain may be accompanied by twitching of muscles of affected area.

Indications: Helps relieve Neuralgia of various parts associated with sharp, tearing pains.

Composition: (Drops): Magnesium phosphoricum 8x, Colocynthis 3x, Kalmia latifolia 3x, Verbascum thapsus 2x

(Tablets): Magnesium phosphoricum 3x, Colocynthis 3x, Kalmia latifolia 3x, Verbascum thapsus 2x

Dosage: (Drops): In acute cases take 10-15 drops diluted in water, 2 hourly 6 times a day. Once improvement starts reduce the dose to 3 times a day.

(Tablets): In acute cases take 2 tablets, 2 hourly, 6 times a day. Once improvement starts take dose 3 times a day.



Other B-Drops & Tablets Available for Neurological Complaints

#B29 Intercostal Drops & Tablets

Indications: Helps relieve intercostal neuralgia.

Composition: (Drops & Tablets): Arsenicum album 6x, Colocynthis 3x, Ranunculus bulbosus 3x

Dosage: (Drops): 10-15 drops should be diluted with water and taken every 30 minutes to 3 hours depending upon the acuteness of the pain.

(Tablets): Take 2 tablets 6 times a day. Once pain is better reduce dose to twice a day.

#B45 Neural Drops & Tablets

Indications: Helps relieve symptoms of nervous irritability like twitchings, convulsions, chorea and restless sleep.

Composition: (Drops): Agaricus muscarius 12x, Ignatia amara 3x, Lachesis 20x, Magnesium phosphoricum 8x, Phosphorus 4x, Zincum metallicum 8x

(Tablets): Agaricus muscarius 2x, Ignatia amara 3x, Lachesis 8x, Magnesium phosphoricum 3x, Phosphorus 4x, Zincum metallicum 3x

Dosage: (Drops): 8-15 drops in a little water 2-3 times a day. In acute cases with frequent fits and continual convulsions the dose should be taken every 1-2 hours.

(Tablets): Take 2 tablets, 3 times daily. In acute cases take dose every 1-2 hours.

#B4 Drops & Tablets (Heart)

Makes heart muscles strong

The cardiac insufficiency designates a disease in which the heart muscle is weakened & is no longer capable of pumping the blood sufficiently powerfully or adequately fast through the blood vessels. The cause of cardiac insufficiency can be acute or gradual injury to heart muscles or it can also be due to Cardiovascular affections like Hypertension, Heart Attack or Valvular Diseases.


Indications: Helps relieve symptoms associated with insufficiency of the heart as in valvular heart diseases, degenerative processes of the Myocardium and Coronary Artery Diseases.

Composition: (Drops): Cactus grandiflorus 3x, Crataegus oxyacantha Ø, Digitalis purpurea 6x, Kali carbonicum 8x, Kalmia latifolia 3x, Phosphorus 5x, Squilla 3x, Spigelia anthelmia 12x, Strophanthus his. 3x

(Tablets): Cactus grandiflorus 3x, Crataegus oxyacantha Ø, Digitalis purpurea 6x, Kali carbonicum 3x, Kalmia latifolia 3x, Phosphorus 5x, Squilla (scilla) 3x, Spigelia marilandica 5x, Strophanthus his. 3x

Dosage: (Drops): 10-30 drops should be diluted with water and taken 3 times a day.

(Tablets): Take 2 tabs., 3 times a day.



#B5 Drops & Tablets (Gold)

Maintains Heart circulation

Inadequate circulation of blood through one or more Coronary Arteries fails to deliver an adequate blood supply to the Myocardium which is characterized by repeated attacks of Angina pectoris. Associated with the chest pain & heaviness, there can also be palpitations and breathlessness.

Indications: Helps relieve symptoms of Angina, Arrhythmia amongst others, presenting in affections like Cardiac Neurosis & Coronary Insufficiencies.

Composition: (Drops): Arnica montana 3x, Aurum muriaticum 3x, Cactus grandiflorus 3x, Crataegus oxyacantha 1x, Digitalis purpurea 6x, Ignatia amara 3x, Kali phosphoricum 8x, Spigelia anthelmia 12x, Valeriana officinalis 2x

(Tablets): Arnica montana 3x, Aurum muriaticum 3x, Cactus grandiflorus 3x, Crataegus oxyacantha 1x, Digitalis purpurea 6x, Ignatia amara 3x, Kali phosphoricum 3x, Spigelia marilandica 3x, Valeriana officinalis 2x

Dosage: (Drops): Take 10-15 drops diluted in water, 2 hourly, 6 times a day in acute pain. Once improvement starts reduce the dose to 3 times a day.

(Tablets): Take 2 tablets every 2 hours, 6 times a day in acute pain. Once improvement starts reduce dosage to 3 times a day.



#B48 Drops & Tablets (Vein)

Relieves Varicose Veins

Varicose veins are enlarged veins that are swollen and raised above the surface of the skin. They can be dark purple or blue and look twisted and bulging. Varicose veins are commonly found on the back of the calves or on the inside of the leg. They develop when valves in the veins that allow blood to flow toward the heart stop working properly.

Indications: Helps relieve symptoms of venous stasis in any part of the body particularly in lower limbs as in Varicose Veins and associated Eczema.

Composition: (Drops): Acidum hydro fluor. 5x, Belladonna 3x, Calcarea fluor. 8x, Carduus mar. 2x, Hamamelis vir. 3x, Mezereum 12x, Zincum met. 8x, Secale cor. 5x, Aesculus hip. 3x

(Tablets): Aesculus hip. 3x, Belladonna 3x, Calcarea fluor. 3x, Carduus mar. 2x, Hamamelis vir. 3x, Mezereum 3x, Zincum met. 3x, Secale cor. 3x, Acidum hydro fluor. 3x

Dosage: (Drops): 10-15 drops in little water, 3 times a day before meals. In case of inflammation and Eczema, frequent doses at interval of half to one hour should be taken.

(Tablets): Take 2 tabs., 3 times a day before meals. In case of acute inflammation & Eczema, take dose every ½ - 1 hour.



#B62 Drops & Tablets (Circulation)

Corrects disturbances in circulation

Improper blood circulation resulting from blocked arteries can have serious impact on arms and legs. Poor circulation to the legs and feet results in reduced oxygenation of the muscle tissue of the leg, feet & arms which is experienced as sudden numbness or tingling of hands, feet and fingers or there can be painful leg cramps.

Indications: Helps relieve cramps, especially that associated with disturbances in circulation.

Composition: (Drops): Adrenalinum 8x, Aesculus hippocastanum 2x, Cuprum aceticum 8x, Secale cornutum 3x, Tabacum 3x, Veratrum album 3x

(Tablets): Adrenalinum 6x, Aesculus hippocastanum 2x, Cuprum aceticum 4x, Secale cornutum 3x, Tabacum 3x, Veratrum album 3x

Dosage: (Drops): 10-15 drops in water, 3 times daily before meals. In severe cases the initial dosage is 10 drops 2 hourly, 6 times a day.

(Tablets): Take 2 tablets, 3 times daily before meals.



Other B-Drops & Tablets Available for Cardiovascular Complaints

#B8 Calcification Drops & Tablets

Indications: Helps relieve symptoms associated with Arteriosclerosis in general, senility, vertigo and weak memory.

Composition: (Drops): Arnica montana 3x, Arsenicum iod. 8x, Aurum mur. 3x, Baryta muriaticum 6x, Calcarea iod. 3x, Crataegus oxy. 3x, Kali iodatum 3x, Plumbum met. 8x, Glonoinum 12x

(Tablets): Arnica montana 3x, Arsenicum iod. 6x, Aurum mur. 3x, Baryta muriatica 6x, Calcarea iod. 3x, Crataegus oxy. 3x, Kali iodatum 3x, Plumbum met. 6x, Glonoinum 6x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 2-3 times a day.

(Tablets): Take 2 tabs., 3 times a day.

#B39 Cardio Pulmonary Drops & Tablets

Indications: Helps relieve symptoms of oppression, suffocation, palpitation, nervous irritable cough and anginous condition of the Heart.

Composition: (Drops): Grindelia robusta 3x, Lachesis 20x, Naja tripudians 20x

(Tablets): Grindelia robusta 3x, Lachesis 8x, Naja tripudians 8x

Dosage: (Drops): 10-15 drops in some water, 3 times daily, before meals. Continue for atleast 12-16 weeks. During an attack the dose should be repeated every 2 hours till relief sets in.

(Tablets): Take 2 tablets, 3 times a day, before meals. Continue for 12-16 weeks. During an acute attack repeat dose every 2 hours.

#B50 Stimulant Drops & Tablets

Indications: Helps tone up heart muscles and stimulate conduction, by relieving symptoms of palpitation, dyspnoea & altered blood pressure.

Composition: (Drops): Crataegus oxyacantha 1x, Laurocerasus 20x, Oleander 3x

(Tablets): Crataegus oxyacantha 1x, Laurocerasus 3x, Oleander 3x

Dosage: (Drops): 10-15 drops in some water, 3 times daily before or after meals. In acute cases 10-15 drops every 2 hours.

(Tablets): Take 2 tablets, 3 times a day before meals. In acute cases take dose every 2 hours.

#B65 Cardiac Efficiency Drops & Tablets

Indications: Helps relieve symptoms of Palpitation, Angina, disorders of cardiac rhythm and conduction following Heart diseases.

Composition: (Drops): Iberis amara 3x, Convallaria majalis 3x, Oleander 3x, Spigelia anthelmia 12x, Cactus grandiflorus 2x

(Tablets): Iberis amara 3x, Convallaria majalis 3x, Oleander 3x, Spartium scoparium (Cystisus scoparius) 2x, Sumbul 2x

Dosage: (Drops): 10-15 drops in water and taken 3 times daily before meals. In acute cases repeat frequently.

(Tablets): Take 2 tablets, 3 times a day before meals. Repeat frequently in acute cases.

#B66 Shock Drops & Tablets

Indications: Helps relieve acute or chronic circulatory disturbances like syncope, presenting with vertigo, nausea, cold sweat, fainting, palpitation, anxiety & shortness of breath.

Composition: (Drops): Acidum phosphoricum 6x, Ammonium carbonicum 4x, Carbo vegetabilis 8x, Tabacum 4x, Veratrum album 4x

(Tablets): Acidum phosphoricum 6x, Ammonium carbonicum 4x, Carbo vegetabilis 6x, Tabacum 4x, Veratrum album 4x

Dosage: (Drops): In chronic circulatory disturbances give 10-15 drops in water 3 times daily before meals. In acute circulatory shock repeat 1 hourly to 2 hourly depending upon severity. Once improvement commences repeat the dosage less frequently.

(Tablets): In chronic circulatory disturbances 2 tabs., 3 times a day before meals. In acute case take dose every 1-2 hours.

#B13 Drops & Tablets (Prostatitis)

Fights Prostatic affections


Prostatitis is an infection or inflammation of the prostate gland that presents as several syndromes with varying clinical features like urgency to urinate, increased frequency of urination, burning with urination (dysuria), poor urine flow or inability to begin a urine stream. There may also be difficulties in ejaculation or Erectile Dysfunction.

Indications: Helps relieve symptoms associated with acute and chronic Prostatitis.

Composition: (Drops & Tablets): Chimaphila umbellata 3x, Clematis erecta 3x, Conium maculatum 6x, Pareira brava 2x, Thuja occidentalis 3x, Pulsatilla nigricans 3x, Sabal serrulata 2x

Dosage: (Drops): 10-15 drops should be diluted in water and taken 3 times a day.

(Tablets): Take 2 tabs., thrice a day.



Use Bakson FORMULA P tabs. twice daily with #B13 for best results.

#B21 Drops & Tablets (Strength)

For Male Sexual Disorders

Talking about sexual weakness does not have to be full of awkwardness or humiliation. Sexual weakness is not a curse which has fallen upon someone rather it is a treatable. Premature ejaculation, Erectile Dysfunction (the erection which is not hard enough to carry out proper penetrative sex) are some of the manifestations of sexual weakness.

Indications: Helps relieve sexual asthenia, nervous exhaustion, over excitement and general debility associated with spermatorrhoea in men.

Composition: (Drops): Acidum phosphoricum 6x, Agnus castus 4x, Cinchona officinalis 3x, Conium maculatum 3x, Damiana 3x, Sepia 20x

(Tablets): Acidum phosphoricum 6x, Agnus castus 4x, Cinchona officinalis 3x, Conium maculatum 3x, Damiana 3x, Sepia 3x

Dosage: (Drops): Take 15 drops diluted with water 2-3 times a day before meals.

(Tablets): Take 2 tablets, 3 times a day before meals.



Use Bakson SUPER TONIC twice daily with #B21 for best results.

#B15 Drops & Tablets (Female)

Regulates menstrual cycle

Sometimes women have problems in their menstrual cycle called menstrual irregularities or menstrual problems. They may not get periods (Amenorrhoea), get periods too frequently (Polymenorrhoea), have unpredictable menstrual bleeding (Menorrhagia) or they may have painful periods (Dysmenorrhoea).

Indications: Helps relieve menstrual problems including Amenorrhoea and Dysmenorrhoea besides easing exhaustion due to loss of blood and flushes of heat followed by perspiration.

Composition: (Drops): Acidum sulphuricum 6x, Aesculus hippocastanum 2x, Crocus sativus 4x, Ferrum phosphoricum 8x, Hamamelis virginica 4x, Secale cornutum 4x

[Tablets]: Acidum sulphuricum 6x, Aesculus hippocastanum 2x, Crocus sativus 4x, Ferrum phosphoricum 5x, Hamamelis virginica 4x, Secale cornutum 4x

Dosage: (Drops): 10-15 drops should be diluted with water and taken 3 times a day.

[Tablets]: Take 2 tabs., 3 times a day.



#B31 Drops & Tablets (Mensin)

Eases menstrual pains

Dysmenorrhoea refers to the syndrome of painful menstruation. Although it is not life-threatening, Dysmenorrhoea can be debilitating and psychologically taxing for many women. While most women experience minor pain during menstruation, Dysmenorrhoea is diagnosed when the pain is so severe as to limit normal activities or require medication. Dysmenorrhoea can feature sharp, throbbing, dull, nauseating, burning or shooting pain.

Indications: Helps relieve Dysmenorrhoea with cramping pains, besides easing labor pains.

Composition: (Drops): Caulophyllum 3x, Chamomilla 6x, Cimicifuga rac. 3x, Cuprum aceticum 4x, Magnesium phos. 8x, Viburnum opulus 2x

[Tablets]: Caulophyllum thalictroides 3x, Chamomilla 6x, Cimicifuga rac. 3x, Cuprum aceticum 4x, Magnesium phos. 5x, Viburnum opulus 2x

Dosage: (Drops): In acute cases take 10 drops diluted in water 2 hourly, 6 times a day. In chronic cases take dose three times a day.

[Tablets]: In acute cases 2 tabs. every 2 hrs. or 6 times a day. In chronic cases take dose 3 times a day.



Other B-Drops & Tablets Available for Female Sexual Complaints

#B7 Climacteric Drops & Tablets

Indications: Helps relieve flushes of heat, physical weakness, psychic exhaustion, headaches and irregular menstruation associated with Menopause.

Composition: (Drops): Acidum sulphuricum 6x, Cimicifuga racemosa 4x, Sanguinaria canadensis 4x, Sepia 20x

(Tablets): Acidum sulphuricum 6x, Cimicifuga racemosa 4x, Sanguinaria canadensis 4x, Sepia 4x

Dosage: (Drops): 10-15 should be diluted with water & taken 3-6 times a day.

(Tablets): Take 2 tabs., 3 times a day.

#B53 Hypochondriacal Drops & Tablets

Indications: Helps relieve sensitivity to noise, suffocation, globus hystericus, throbbing and constriction of throat in nervous and hysterical women.

Composition: (Drops): Asafoetida 3x, Glonoinum 20x, Ignatia amara 3x, Lachesis 20x, Valeriana officinalis 3x

(Tablets): Asafoetida 3x, Glonoinum 6x, Ignatia amara 3x, Lachesis 8x, Valeriana officinalis 3x

Dosage: (Drops): Take 10-15 drops in some water 3 times daily before meals.

(Tablets): Take 2 tablets, 3 times a day before meals.

#B55 Fem Rheuma Drops & Tablets

Indications: Helps relieve rheumatism of different kinds associated with disorders of female reproductive system.

Composition: (Drops): Aesculus hipp. 3x, Cimicifuga race. 3x, Colocynthis 3x, Natrum mur. 8x, Phytolacca decandra 3x, Strontium carb. 8x

(Tablets): Aesculus hipp. 3x, Cimicifuga race. 3x, Colocynthis 3x, Natrum mur. 3x, Phytolacca decandra 3x, Strontium carb. 6x

Dosage: (Drops): Take 10-15 drops in a little water 3-4 times daily for at least 12-16 weeks. In acute pain, repeat dose every 2 hours.

(Tablets): Take 2 tabs., 3-4 times a day for at least 12-16 weeks. In acute pain take dose every 2 hours 6 times a day.

BAKSON'S SPECIALTY PRODUCTS

- ◆ **AC#7:** For mild Constipation
- ◆ **AC#9:** Combats hairfall
- ◆ **ACNE AID:** For pimples, scars & clear complexion.
- ◆ **ALFALFA TONIC:** A general tonic.
- ◆ **ALFALFA TONIC with Ginseng:** Health tonic.
- ◆ **ALFAVENA MALT:** A complete family tonic.
- ◆ **ALFAVENA HOMOEO DRINK:** Health drink.
- ◆ **ALLER AID:** For Allergic Rhinitis & Sinusitis.
- ◆ **ALLER AID PLUS:** For Respiratory Allergies.
- ◆ **ASTHA AID:** For wheezing, cough & breathlessness of Asthma & Bronchitis.
- ◆ **ASTHA AID DROPS:** For Breathing problems.
- ◆ **BAKUNIL:** For Renal problems.
- ◆ **BEE PEE AID:** For High Blood Pressure.
- ◆ **BEEPEE AID PLUS:** For Hypertension & Hypercholesterolemia.
- ◆ **CALCI AID:** For Stronger Bones
- ◆ **CALM AID:** Calms anxious states
- ◆ **CARD AID:** For Heart ailments.
- ◆ **CINERARIA EUPHRASIA Eye Drops:** For Common Eye Disorders.
- ◆ **CINERARIA MARITIMA Eye Drops:** Checks Cataract.
- ◆ **DANDRUFF AID:** For Dandruff
- ◆ **DERMATO AID:** For Psoriasis
- ◆ **DIAB AID:** Maintains Blood Sugar level.
- ◆ **DIGE AID:** An aid to digestion in Gastritis, Gastro-duodenal ulcers.
- ◆ **EUPHRASIA Eye Drops:** For common Eye problems.
- ◆ **FEM AID:** Health tonic for women.
- ◆ **FERRUM PLUS:** Iron Tonic.
- ◆ **FEVO AID:** Relieves Fever
- ◆ **FLU AID:** For runny nose, sneezing, fever.
- ◆ **GASTRO AID:** For indigestion, flatulence, heart burn and Constipation.
- ◆ **GO TOX:** For tobacco and alcohol de-addiction.
- ◆ **GRIPE AID MIXTURE:** Eases digestion
- ◆ **GRD UP:** For all round growth of children.
- ◆ **HAIR AID:** For hair care, dandruff and falling of hair.
- ◆ **HITE AID:** Aids growth
- ◆ **HOMOEOPVIT:** A Ginseng health tonic for growing children and pregnant women.
- ◆ **HOMOEOPATHIC FORMULA 'D':** For Eczema & Lichen
- ◆ **planus.**
- ◆ **HOMOEOPATHIC FORMULA 'P':** For normal functioning of prostate gland.
- ◆ **JABORANDI AID HAIR CARE:** Strengthen hair roots & nourishes hair.
- ◆ **KOF AID:** For any type of cough.
- ◆ **KOF AID PLUS:** Effective cough reliever
- ◆ **LIV AID:** For Liver disorders.
- ◆ **MENSO AID:** For female functional disorders.
- ◆ **MIG AID:** For Headache and Migraine.
- ◆ **MULLEIN OIL:** For pain, obstruction and other ailments of ears.
- ◆ **NASAL AID:** Effective Nasal spray
- ◆ **OIL BOUCHI:** For Leucoderma
- ◆ **PELVY AID:** For Leucorrhoea & other associated symptoms.
- ◆ **PENTAPHOS TABLETS:** Health promoter tablets.
- ◆ **PENTAPHOS LIQUID:** For wholesome strength.
- ◆ **PERIO AID MOUTHWASH:** For oral hygiene.
- ◆ **PHYTOLACCA BERRY:** For Obesity.
- ◆ **PILGO:** For Piles and Anal Fissures.
- ◆ **PILGO PLUS:** For Piles and Anal Fissures.
- ◆ **PROSTATE AID:** For healthy prostate
- ◆ **RHEUM AID:** For bones, joints and muscle disorders.
- ◆ **RHEUM AID OIL:** Massage Oil
- ◆ **RHEUM AID PLUS:** Stay active
- ◆ **SARSA AID:** For Healthy skin
- ◆ **SEPT AID:** Local Antiseptic Spray
- ◆ **SINUS AID:** Relieve Sinusitis
- ◆ **SPONDY AID:** For Cervical & Lumbar Spondylosis.
- ◆ **SUPER TONIC:** Health tonic for men.
- ◆ **TENSE AID:** Relieves stress.
- ◆ **THROAT AID:** For sore throat.
- ◆ **TONE AID PLUS:** Revitalizer.
- ◆ **TONSIL AID:** For acute/chronic Tonsillitis, repeated attacks of cough & cold.
- ◆ **URTICIA AID:** For Urticaria.
- ◆ **WART AID:** For Warts, Corns and epithelial tumours.
- ◆ **WORM-C:** Freedom from worms.
- ◆ **Y-LAX:** For constipation.

For the use only of a Registered Medical Practitioner or a Hospital or a Laboratory.

For more details please contact :

Bakson Drugs & Pharmaceuticals Pvt. Ltd.

Unit I: Shilpu Kala, Parwanoo -173220 (H.P.), India.

Unit II: Plot No. 6, Sector-1, Parwanoo, Distt. Solan - 173220 (H.P.), India.

Unit III: Village Chouli Shahbuddinpur, Pargana Bhaganpur,

Teh. Roorkee - 247 661, Distt. Haridwar (U.K.), India.

Customer Care: 18002572829 | E-mail: customercare@buybakson.com

Visit us at: www.buybakson.com



GMP & ISO 9001 : 2015 Certified